New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of June 30, 2004 Parsippany Residents

-1	Constant UTW/ATRO Cata	Adult/Adolescent * rv Cases %	Pediatric *		Total	
⊥.	Current HIV/AIDS CateAIDS-Any OI		Cases % 		ases	
	AIDS-CD4 Only HIV Only	24 38 27 42	0		24 38 27 42	3
	Total	64 100	0	- ·	64 100	J
2.	Current Age * Cases %	3. Race/Eth.	Adult/Adl* Cases %			
	<pre><5 0 0 5-12 0 0 13-19 # # 20-29 # # 30-39 21 33</pre>	White, Not Hispan Black, Not Hispan Hispanic Other/Unknown	nic 40 63	0 .	40 63 12 19 7 11 5 8	
	30-39 21 33 40-49 27 42 50+ 13 20 Unk. 0 0	Total	64 100	0 .	64 100	
	Total 64 100					
4.	Patient Group	Adul Males	t/Adolescent Tra % Femal		Total	90
	Men sex with men (MSM Injection drug user (MSM/IDU Heterosexual contact Risk not reported/oth	# #	13 #	0 0 6 38 0 0 # # 6 38	27 12 # # 15	43 19 # # 24
	Total		.00 1	6 100		100

NOTE: Includes only those persons known to be infected with HIV.

Total

Parent at risk/has AIDS/HIV

Risk not reported/other***

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of June 2004.
- ** # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

#

0 0

#

Pediatric Transmission Modes $\label{eq:males} \textit{Males} \quad \textit{\%} \qquad \qquad \textit{Total} \quad \textit{\%}$ -----

0 .

#

0 0

#

 $\ensuremath{^{\star\star\star}}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Parsippany Residents

Adult/Adolescent*

PCP			# (#)	# (#)	#	(#)	#	(#)	# (#)	#	(#)
Other OI w	/o PCP		23 (25)	17 (81)	0	(0)	0	(.)	23 (2	24)	17	(81)
KS Alone			# (#)	# (#)	#	(#)	#	(#)	# (#)	#	(#)
No Disease	Listed		32 (35)	8 (35)	0	(0)	0	(.)	32 (3	34)	8	(35)
Total			92 (100)	56 (69)	#	(#)	#	(#)	95 (10	00)	58	(69)
					Adult/A	dl*		Pediatri	c*		Total					
2. Age *	Cases	용	3. Race/	Eth.	Cases	용		Cases	용		Cases		ે			
Under 5	#	#	White	, Not Hispanic	#	#		#		#	76		80			
5-12	#	#	Black	, Not Hispanic	#	#		#		#	12		13			
13-19	0	0	Hispa	nic	6	7		0		0	6		6			
20-29	9	9	Other	/Unknown	#	#		0		0	#		#			
30-39	48	51								_						
40-49	24	25	Total		92	100		#	:	#	95		100			
Over 49	11	12														

Pediatric*

Cases (%) Deaths (%) Cases (%) Deaths (%) Deaths (%)

Total

4.	Patient	Group
----	---------	-------

Unknown ----

Total

0 0

95 100

1. Disease Category

Patient Group	Adult/Adolescent Transmission Modes **								
	Males	용	Females	용	Total	용			
Men sex with men (MSM)	34	44	0	0	34	37			
Injection drug user (IDU)	27	35	7	47	34	37			
MSM/IDU	#	#	0	0	#	#			
Heterosexual contact	#	#	#	#	#	#			
Risk not reported/other***	#	#	#	#	14	15			
Total	77	100	15	100	92	100			

	Males	Pediatric %	Transmis Females		Modes Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	#	#

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

^{*} Classification at time of AIDS diagnosis.

^{** 0} patients were diagnosed with $\widetilde{\text{AIDS}}$ as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

 $[\]ensuremath{^{\star\star\star}}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Parsippany Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	#	#	#
1985	#	#	#
1986	6	5	83%
1987	5	5	100%
1988	5	5	100%
1989	#	#	#
1990	7	5	71%
1991	#	#	#
1992	8	8	100%
1993	5	5	100%
1994	11	6	55%
1995	8	#	#
1996	5	#	#
1997	5	#	#
1998	#	#	#
1999	#	#	#
2000	#	#	#
2001	#	#	#
2002	#	#	#
2003	#	#	#
2004	#	#	#
Total	95	58	61%